

| Производитель | Модель AC         | высота | Размер, мм |         | Вес<br>кг | ISO-L8R430  | ISO-L8R200<br>ISO-200 | ISO-L8R200SUB<br>ISO-200SUB | ISO-L8R155<br>ISO-155 | ISO-L8R130<br>ISO-130 |
|---------------|-------------------|--------|------------|---------|-----------|-------------|-----------------------|-----------------------------|-----------------------|-----------------------|
|               |                   |        | ширина     | глубина |           | 432 x 229мм | 198 X 254мм           | 198 X 254мм                 | 155 X 190мм           | 130 X 152мм           |
| Adam          | A3X               | 254.0  | 152.4      | 190.5   | 8.7       |             |                       |                             |                       | •                     |
| Adam          | A5X               | 279.4  | 165.1      | 215.9   | 6.6       |             |                       |                             | •                     |                       |
| Adam          | A7X               | 342.9  | 203.2      | 279.4   | 9.2       |             | •                     |                             | •                     |                       |
| Adam          | A8X               | 393.7  | 254.0      | 317.5   | 13.0      |             | •                     |                             |                       |                       |
| Adam          | A77X              | 235.0  | 530.0      | 280.0   | 12.8      | •           |                       |                             |                       |                       |
| Adam          | F5                | 292.1  | 190.5      | 228.6   | 6.8       |             |                       |                             | •                     |                       |
| Adam          | F7                | 317.5  | 228.6      | 266.7   | 9.0       |             | •                     |                             |                       |                       |
| Adam          | SubF              | 350.0  | 250.0      | 341.0   | 9.9       |             |                       | •                           |                       |                       |
| Adam          | Sub7              | 370.0  | 200.0      | 280.0   | 8.0       |             |                       | •                           |                       |                       |
| Adam          | Sub8              | 410.0  | 260.0      | 380.0   | 12.0      |             |                       | •                           |                       |                       |
| Adam          | Sub10 Mk2         | 560.0  | 300.0      | 400.0   | 21.0      |             |                       | •                           |                       |                       |
| Adam          | Sub12             | 600.0  | 360.0      | 450.0   | 26.0      |             |                       | •                           |                       |                       |
| Adam          | Sub15             | 635.0  | 470.0      | 525.0   | 52.0      |             |                       |                             |                       |                       |
| Adam          | Sub2100           | 850.0  | 600.0      | 705.0   | 85.0      |             |                       |                             |                       |                       |
| Adam          | S1X               | 292.1  | 177.8      | 254.0   | 6.0       |             |                       |                             | •                     |                       |
| Adam          | S2X               | 368.3  | 215.9      | 317.5   | 10.8      |             | •                     |                             |                       |                       |
| Adam          | S3X-H             | 279.4  | 533.4      | 317.5   | 19.6      | •           | •                     |                             | 2                     |                       |
| Adam          | S3X-V             | 482.6  | 279.4      | 292.1   | 15.4      |             | •                     |                             |                       |                       |
| Adam          | S4X-H             | 355.6  | 698.5      | 444.5   | 32.2      | •           | 2                     |                             |                       |                       |
| Adam          | S4X-V             | 685.8  | 355.6      | 444.5   | 35.6      |             |                       |                             |                       |                       |
| Adam          | S5X-H             | 700.0  | 700.0      | 473.0   | 63.4      |             |                       |                             |                       |                       |
| Adam          | S7A MK2           | 900.0  | 1200.0     | 670.0   | 261.0     |             |                       |                             |                       |                       |
| Avantone      | Mix Tower         | 475.0  | 190.5      | 254.0   | 10.6      |             |                       |                             | •                     |                       |
| Avantone      | Pro Abbey         | 360.7  | 269.2      | 386.1   | 16.0      |             | •                     |                             |                       |                       |
| Avantone      | Mixcubes          | 165.1  | 165.1      | 208.3   | 4.0       |             |                       |                             |                       | •                     |
| Alesis        | M1 Active 320     | 188.0  | 127.0      | 165.1   | 2.3       |             |                       |                             |                       | •                     |
| Alesis        | M1 Active 520     | 266.7  | 165.1      | 198.1   | 5.9       |             |                       |                             | •                     |                       |
| Alesis        | M1 Active 520 USB | 269.2  | 185.4      | 226.1   | 5.9       |             |                       |                             | •                     |                       |
| Alesis        | M1 Active 620     | 381.0  | 215.9      | 261.6   | 9.5       |             | •                     |                             | •                     |                       |
| Alesis        | Monitor One mkII  | 381.0  | 215.9      | 254.0   | 6.8       |             | •                     |                             | •                     |                       |
| Alesis        | Elevate 6         | 381.0  | 215.9      | 261.6   | 7.5       |             | •                     |                             | •                     |                       |
| Alesis        | Elevate 5         | 221.0  | 182.9      | 269.2   | 5.7       |             |                       |                             | •                     |                       |
| Amphion       | One12             | 259.1  | 132.1      | 220.0   | 6.0       |             |                       |                             |                       | •                     |
| Amphion       | One15             | 316.0  | 160.0      | 264.9   | 7.0       |             |                       |                             | •                     |                       |
| Amphion       | One18             | 380.0  | 191.0      | 315.0   | 12.0      |             |                       |                             | •                     |                       |
| Amphion       | Two15             | 510.0  | 160.0      | 264.9   | 12.0      |             |                       |                             | •                     |                       |
| Amphion       | Two18             | 549.9  | 191.0      | 315.0   | 18.0      |             |                       |                             | •                     |                       |
| ATC           | SCM20ASL          | 449.6  | 248.9      | 391.2   | 26.3      |             | •                     |                             |                       |                       |
| ATC           | SCM25A Pro        | 264.0  | 430.0      | 369.0   | 30.0      | •           |                       |                             |                       |                       |
| ATC           | SCM45A            | 353.1  | 599.4      | 375.9   |           | •           |                       |                             |                       |                       |
| ATC           | SCM50ASL Pro      | 716.0  | 351.0      | 400.0   | 49.0      |             |                       |                             |                       |                       |
| ATC           | SCM100ASL Pro     | 832.0  | 398.0      | 581.0   | 65.0      |             |                       |                             |                       |                       |
| ATC           | SCM110ASL Pro     | 715.0  | 625.0      | 420.0   | 73.0      |             |                       |                             |                       |                       |
| ATC           | SCM150ASL Pro     | 884.0  | 498.0      | 568.0   | 75.0      |             |                       |                             |                       |                       |
| ATC           | SCM200ASL Pro     | 830.0  | 730.0      | 440.0   | 116.0     |             |                       |                             |                       |                       |
| ATC           | SCM300ASL Pro     | 884.0  | 925.0      | 460.0   | 140.0     |             |                       |                             |                       |                       |
| Auratone      | SC                | 165.1  | 165.1      | 152.4   | 5.4       |             |                       |                             |                       | •                     |
| Barefoot      | MicroMain35 Gen2  | 362.0  | 241.0      | 394.0   | 20.0      |             | •                     |                             |                       |                       |
| Barefoot      | MicroMain27 Gen2  | 521.0  | 241.0      | 394.0   | 31.0      |             | •                     |                             |                       |                       |
| Barefoot      | MiniMain12        | 660.0  | 366.0      | 556.0   | 54.0      |             |                       |                             |                       |                       |
| Behringer     | MS20              | 238.8  | 152.4      | 188.0   | 3.6       |             |                       |                             |                       | •                     |
| Behringer     | MS40              | 279.4  | 172.7      | 243.8   | 4.9       |             |                       |                             | •                     |                       |
| Behringer     | B1030A            | 288.0  | 198.0      | 280.0   | 5.5       |             |                       |                             | •                     |                       |
| Behringer     | B2030A            | 317.0  | 214.0      | 211.0   | 9.8       |             |                       |                             | •                     |                       |
| Behringer     | B2031a            | 401.3  | 248.9      | 289.6   | 15.0      |             | •                     |                             |                       |                       |
| Behringer     | B3030A            | 315.0  | 215.0      | 210.0   | 10.0      |             |                       |                             | •                     |                       |
| Behringer     | B3031A            | 400.0  | 250.0      | 290.0   | 15.0      |             | •                     |                             |                       |                       |
| Behringer     | C50A              | 165.0  | 165.0      | 197.0   | 3.5       |             |                       |                             |                       | •                     |
| Behringer     | CSA               | 165.0  | 165.0      | 200.0   | 3.3       |             |                       |                             |                       | •                     |
| Behringer     | Studio50 USB      |        |            |         |           |             |                       |                             | •                     |                       |
| Blue Sky      | SAT 6D            |        |            |         |           |             | •                     |                             |                       |                       |
| Blue Sky      | 12D Sub           |        |            |         |           |             |                       |                             |                       |                       |
| Centrance     | MasterClass 2504  | 207.0  | 145.0      | 230.0   | 2.9       |             |                       |                             |                       | •                     |
| Dynaudio      | Lyd 48            | 328    | 368        | 234     | 10.5      |             |                       |                             | 2                     |                       |
| Dynaudio      | Lyd 5             | 259    | 170        | 211     | 5.7       |             |                       |                             | •                     |                       |
| Dynaudio      | Lyd 7             | 320    | 185        | 295     | 8.0       |             |                       |                             | •                     |                       |
| Dynaudio      | Lyd 8             | 368    | 234        | 328     | 10.2      |             | •                     |                             |                       |                       |
| Dynaudio      | BM5A              | 259.1  | 170.2      | 236.2   | 7.0       |             |                       |                             | •                     |                       |
| Dynaudio      | BM5A MkII         | 317.5  | 185.4      | 317.5   | 8.7       |             |                       |                             | •                     |                       |
| Dynaudio      | BM Compact MkIII  | 259.1  | 170.2      | 193.0   | 5.4       |             |                       |                             | •                     |                       |
| Dynaudio      | BM5 MkIII         | 320.0  | 186.0      | 280.0   | 7.7       |             |                       |                             | •                     |                       |
| Dynaudio      | BM6 MkIII         | 334.0  | 202.0      | 380.0   | 11.0      |             | •                     |                             |                       |                       |
| Dynaudio      | BM12 MkIII        | 370.0  | 234.0      | 380.0   | 12.5      |             | •                     |                             |                       |                       |
| Dynaudio      | BM6A              | 337.8  | 215.9      | 320.0   | 11.0      |             | •                     |                             |                       |                       |
| Dynaudio      | DBM50             | 348.0  | 231.1      | 335.3   | 7.2       |             | •                     |                             |                       |                       |
| Dynaudio      | BM9S              | 289.6  | 294.6      | 317.5   | 10.0      |             |                       | •                           |                       |                       |
| Dynaudio      | BM14S             | 350.0  | 350.0      | 369.5   | 21.0      |             |                       | •                           |                       |                       |
| Dynaudio      | BM12A             | 370.8  | 233.7      | 327.7   | 12.1      |             | •                     |                             |                       |                       |

| Производитель         | Модель AC   | Высота | Размер, мм |         | Вес<br>кг | ISO-L8R430  | ISO-L8R200<br>ISO-200 | ISO-L8R200SUB<br>ISO-200SUB | ISO-L8R155<br>ISO-155 | ISO-L8R130<br>ISO-130 |
|-----------------------|-------------|--------|------------|---------|-----------|-------------|-----------------------|-----------------------------|-----------------------|-----------------------|
|                       |             |        | ширина     | глубина |           | 432 x 229мм | 198 X 254мм           | 198 X 254мм                 | 155 X 190мм           | 130 X 152мм           |
| Dynaudio              | BM15A       | 454.7  | 289.6      | 386.1   | 19.1      |             | •                     |                             |                       |                       |
| Dynaudio              | AIR6        | 337.8  | 215.9      | 345.4   | 9.9       |             | •                     |                             |                       |                       |
| Dynaudio              | AIR12       | 386.1  | 238.8      | 378.5   | 12.9      |             | •                     |                             |                       |                       |
| Dynaudio              | AIR15       | 424.2  | 274.3      | 393.7   | 15.6      |             | •                     |                             |                       |                       |
| Dynaudio              | AIR20       | 574.0  | 309.9      | 393.7   | 28.2      |             | •                     |                             |                       |                       |
| Dynaudio              | AIR25       | 508.0  | 533.4      | 449.6   | 45.8      |             | 2                     |                             |                       |                       |
| Dynaudio              | M3VE        | 775.0  | 555.0      | 505.0   | 65.0      |             |                       |                             |                       |                       |
| Dynaudio              | M3XE        | 775.0  | 555.0      | 505.0   | 65.0      |             |                       |                             |                       |                       |
| Emotiva               | Airmotiv 4s | 242.0  | 160.0      | 191.0   | 6.3       |             |                       |                             |                       | •                     |
| Emotiva               | Airmotiv 5s | 277.0  | 181.0      | 213.0   | 7.7       |             |                       |                             | •                     |                       |
| Emotiva               | Airmotiv 6s | 340.0  | 214.0      | 286.0   | 13.4      |             | •                     |                             |                       |                       |
| Emotiva               | Stealth 6   | 330.2  | 254.0      | 292.0   | 11.8      |             | •                     |                             |                       |                       |
| Emotiva               | Stealth 8   | 420.0  | 305.0      | 380.0   | 19.0      |             | •                     |                             |                       |                       |
| Eve Audio             | SC204       | 228.6  | 144.8      | 193.0   | 3.8       |             |                       |                             |                       | •                     |
| Eve Audio             | SC205       | 274.3  | 175.3      | 231.1   | 5.0       |             |                       |                             | •                     |                       |
| Eve Audio             | SC207       | 327.7  | 213.4      | 279.4   | 8.0       |             | •                     |                             |                       |                       |
| Eve Audio             | SC208       | 388.6  | 254.0      | 327.7   | 10.9      |             | •                     |                             |                       |                       |
| Eve Audio             | SC305       | 425.0  | 180.0      | 250.0   | 8.5       |             |                       |                             |                       |                       |
| Eve Audio             | SC307       | 215.0  | 500.0      | 310.0   | 12.4      | •           |                       |                             |                       |                       |
| Eve Audio             | SC407       | 260.0  | 600.0      | 320.0   | 18.0      | •           |                       |                             |                       |                       |
| Eve Audio             | SC408       | 330.0  | 710.0      | 440.0   | 29.5      |             |                       |                             |                       |                       |
| Eve Audio             | SC3010      | 580.0  | 380.0      | 440.0   | 37.0      |             |                       |                             |                       |                       |
| Eve Audio             | SC3012      | 650.0  | 435.0      | 490.0   | 44.0      |             |                       |                             |                       |                       |
| Event                 | Opal        | 449.6  | 294.6      | 274.3   | 21.2      |             | •                     |                             |                       |                       |
| Event                 | 2030        | 259.1  | 375.9      | 309.9   | 14.5      |             | •                     |                             |                       |                       |
| Event                 | 20/20BAS    | 375.9  | 259.1      | 299.7   | 17.0      |             | •                     |                             |                       |                       |
| Fluid Audio           | C5/C5W      | 256.5  | 175.3      | 193.0   | 4.0       |             |                       |                             | •                     |                       |
| Fluid Audio           | C5BT/C5BTW  | 256.5  | 175.3      | 193.0   | 4.3       |             |                       |                             | •                     |                       |
| Fluid Audio           | F4/F4W      | 223.5  | 149.9      | 171.5   | 3.6       |             |                       |                             |                       | •                     |
| Fluid Audio           | F5/F5W      | 260.4  | 175.3      | 195.6   | 4.6       |             |                       |                             | •                     |                       |
| Fluid Audio           | FX8/FX8W    | 340.4  | 254.0      | 269.2   | 9.4       |             | •                     |                             |                       |                       |
| Fluid Audio           | F8S/F8SW    | 340.4  | 254.0      | 269.2   | 7.9       |             | •                     |                             |                       |                       |
| Fluid Audio           | FPX7        | 307.3  | 154.9      | 266.7   | 7.6       |             |                       |                             | •                     |                       |
| Focal                 | Alpha 50    | 313.0  | 220.0      | 258.0   | 7.3       |             | •                     |                             | •                     |                       |
| Focal                 | Alpha 65    | 348.0  | 252.0      | 309.0   | 9.4       |             | •                     |                             | •                     |                       |
| Focal                 | Alpha 80    | 397.0  | 287.0      | 348.0   | 12.8      |             | •                     |                             |                       |                       |
| Focal                 | Shape 40    | 257    | 160        | 201     | 7.3       |             |                       |                             | •                     |                       |
| Focal                 | Shape 50    | 312    | 191        | 241     | 9.4       |             |                       |                             | •                     |                       |
| Focal                 | Shape 65    | 356    | 218        | 284     | 12.8      |             | •                     |                             |                       |                       |
| Focal                 | CMS40       | 238.0  | 154.9      | 154.9   | 5.0       |             |                       |                             |                       | •                     |
| Focal                 | CMS50       | 289.6  | 190.5      | 200.7   | 7.7       |             |                       |                             | •                     |                       |
| Focal                 | CMS65       | 368.3  | 241.3      | 231.1   | 10.4      |             |                       |                             | •                     |                       |
| Focal                 | CMS Sub     | 434.3  | 365.8      | 439.4   | 23.0      |             |                       | •                           |                       |                       |
| Focal                 | Solo6 Be    | 330.2  | 238.8      | 289.6   | 11.0      |             | •                     |                             | •                     |                       |
| Focal                 | Twin6 Be    | 248.9  | 500.4      | 340.4   | 14.0      | •           | 2                     |                             | 2                     |                       |
| Focal                 | Trio6 Be    | 276.9  | 520.7      | 358.1   | 20.0      | •           | •                     |                             |                       |                       |
| Focal                 | SM9         | 325.1  | 497.8      | 396.2   | 34.9      | •           | 2                     |                             | 2                     |                       |
| Fostex                | PM04n       | 221.0  | 144.8      | 180.3   | 3.8       |             |                       |                             |                       | •                     |
| Fostex                | PM05n       | 279.4  | 180.3      | 259.1   | 6.5       |             |                       |                             | •                     |                       |
| Fostex                | PM641       | 376.0  | 249.0      | 290.0   | 11.4      |             | •                     |                             |                       |                       |
| Fostex                | PM841       | 432.0  | 270.0      | 290.0   | 13.4      |             | •                     |                             |                       |                       |
| Fostex                | PM SUBn     | 302.3  | 299.7      | 363.2   | 11.4      |             |                       | •                           |                       |                       |
| Genelec (w/o Iso-Pod) | 8020C       | 230.0  | 151.0      | 142.0   | 3.7       |             |                       |                             |                       | •                     |
| Genelec (w/o Iso-Pod) | 8030B       | 285.0  | 189.0      | 178.0   | 5.6       |             |                       |                             |                       | •                     |
| Genelec (w/o Iso-Pod) | 8040A       | 431.8  | 284.5      | 276.9   | 12.7      |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8040BPM     | 350.5  | 237.0      | 223.0   | 8.6       |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8050A       | 431.8  | 284.5      | 276.9   | 14.5      |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8050B       | 431.8  | 284.5      | 276.9   | 12.7      |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8351A       | 449.6  | 287.0      | 279.4   | 19.1      |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8240A       | 350.0  | 236.2      | 223.5   | 9.4       |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8250A       | 433.0  | 284.5      | 276.9   | 14.5      |             |                       |                             | •                     |                       |
| Genelec (w/o Iso-Pod) | 8260A       | 593.0  | 355.6      | 345.4   | 27.2      |             | •                     |                             |                       |                       |
| Genelec               | M030        | 254.0  | 190.5      | 190.5   | 4.0       |             |                       |                             | •                     |                       |
| Genelec               | M040        | 337.8  | 233.7      | 228.6   | 6.8       |             |                       |                             | •                     |                       |
| Genelec               | 1032A       | 495.3  | 320.0      | 297.2   | 21.8      |             | •                     |                             |                       |                       |
| Genelec               | 1037C       | 680.0  | 400.0      | 380.0   | 37.0      |             |                       |                             |                       |                       |
| Genelec               | 1038B       | 810.0  | 480.0      | 420.0   | 60.0      |             |                       |                             |                       |                       |
| Genelec               | 1038CF      | 610.0  | 470.0      | 235.0   | 42.0      | •           |                       |                             |                       |                       |
| Genelec               | 1038BC      | 350.0  | 950.0      | 453.0   | 60.0      |             |                       |                             |                       |                       |
| Genelec               | 1237A       | 680.0  | 400.0      | 380.0   | 38.0      |             |                       |                             |                       |                       |
| Genelec               | 1238A       | 810.0  | 480.0      | 420.0   | 57.0      |             |                       |                             |                       |                       |
| Genelec               | 1238CF      | 610.0  | 470.0      | 235.0   | 39.0      | •           |                       |                             |                       |                       |
| Genelec               | 1036A       | 960.0  | 1180.0     | 650.0   | 182.0     |             |                       |                             |                       |                       |
| Genelec               | 1039A       | 820.0  | 1050.0     | 550.0   | 115.0     |             |                       |                             |                       |                       |
| Genelec               | 1034BC      | 489.0  | 1210.0     | 412.0   | 84.0      |             |                       |                             |                       |                       |
| Genelec               | 1034B       | 700.0  | 890.0      | 383.0   | 73.0      |             |                       |                             |                       |                       |
| Genelec               | 1035B       | 820.0  | 1105.0     | 775.0   | 142.0     |             |                       |                             |                       |                       |
| Gibson                | Les Paul 4  |        |            |         |           |             |                       |                             | •                     |                       |

| Производитель | Модель AC        | высота | Размер, мм |         | Вес<br>кг | ISO-L8R430  | ISO-L8R200<br>ISO-200 | ISO-L8R200SUB<br>ISO-200SUB | ISO-L8R155<br>ISO-155 | ISO-L8R130<br>ISO-130 |
|---------------|------------------|--------|------------|---------|-----------|-------------|-----------------------|-----------------------------|-----------------------|-----------------------|
|               |                  |        | ширина     | глубина |           | 432 x 229мм | 198 X 254мм           | 198 X 254мм                 | 155 X 190мм           | 130 X 152мм           |
| Gibson        | Les Paul 6       |        |            |         |           |             | •                     |                             |                       |                       |
| Gibson        | Les Paul 8       |        |            |         |           |             | •                     |                             |                       |                       |
| JBL           | LSR2325P         | 302.3  | 188.0      | 254.0   | 7.3       |             |                       |                             | •                     |                       |
| JBL           | LSR2328P         | 396.2  | 254.0      | 335.3   | 12.7      |             | •                     |                             |                       |                       |
| JBL           | LSR305           | 298.0  | 238.0      | 251.0   | 4.6       |             |                       |                             | •                     |                       |
| JBL           | LSR308           | 419.0  | 254.0      | 308.0   | 8.6       |             | •                     |                             |                       |                       |
| JBL           | LSR310S          | 448.0  | 381.0      | 398.0   | 15.6      |             |                       | •                           |                       |                       |
| JBL           | LSR4326P         | 388.6  | 236.2      | 261.6   | 12.7      |             | •                     |                             |                       |                       |
| JBL           | LSR4328P         | 439.4  | 266.7      | 269.2   | 13.2      |             | •                     |                             |                       |                       |
| JBL           | LSR6312SP        | 393.7  | 635.0      | 292.1   | 22.7      | •           | 2                     |                             |                       |                       |
| JBL           | LSR6325P-1       | 269.0  | 173.0      | 241.0   | 7.7       |             |                       |                             | •                     |                       |
| JBL           | LSR6328P         | 406.0  | 330.0      | 325.0   | 17.7      |             | •                     |                             |                       |                       |
| JBL           | LSR6332          | 635.0  | 394.0      | 292.0   | 20.4      |             | •                     |                             | 2                     |                       |
| JBL           | M2               | 1256.0 | 508.0      | 356.0   | 58.5      |             | 2                     |                             |                       |                       |
| KEF           | LS50             | 302.0  | 200.0      | 278.0   | 7.2       |             |                       |                             | •                     |                       |
| KEF           | X300A            | 280.0  | 180.0      | 215.0   | 7.5       |             |                       |                             | •                     |                       |
| KRK           | Rokit 5          | 276.9  | 185.4      | 226.1   | 6.3       |             |                       |                             | •                     |                       |
| KRK           | Rokit 6          | 322.6  | 226.1      | 266.7   | 8.9       |             |                       |                             | •                     |                       |
| KRK           | Rokit 8          | 381.0  | 264.2      | 330.2   | 11.8      |             | •                     |                             |                       |                       |
| KRK           | Rokit 10-3       | 538.5  | 322.6      | 363.2   | 20.9      |             | •                     |                             |                       |                       |
| KRK           | R6               | 322.6  | 226.1      | 317.5   | 7.0       |             | •                     |                             |                       |                       |
| KRK           | VXT 4            | 256.5  | 185.4      | 177.8   | 6.4       |             |                       |                             |                       | •                     |
| KRK           | VXT 6            | 368.3  | 261.6      | 243.8   | 12.2      |             |                       |                             | •                     |                       |
| KRK           | VXT 8            | 439.4  | 317.5      | 302.3   | 18.6      |             | •                     |                             |                       |                       |
| KRK           | Expose           | 490.2  | 421.6      | 355.6   | 34.0      |             | •                     |                             |                       |                       |
| KRK           | 10s              | 381.0  | 355.6      | 408.9   | 18.2      |             |                       | •                           |                       |                       |
| KRK           | 12s              | 460.0  | 405.0      | 575.0   | 30.1      |             |                       |                             |                       |                       |
| KRK           | 12sHO            | 508.0  | 508.0      | 571.5   | 49.8      |             |                       |                             |                       |                       |
| M-Audio       | AV-32            | 190.5  | 129.5      | 154.9   | 2.5       |             |                       |                             |                       | •                     |
| M-Audio       | AV-42            | 213.4  | 144.8      | 188.0   | 3.4       |             |                       |                             |                       | •                     |
| M-Audio       | BX5a             | 248.9  | 175.3      | 200.7   | 5.0       |             |                       |                             | •                     |                       |
| M-Audio       | BX5 Carbon       | 251.5  | 165.1      | 222.3   | 5.0       |             |                       |                             | •                     |                       |
| M-Audio       | BX8a             | 381.0  | 254.0      | 304.8   | 12.0      |             | •                     |                             |                       |                       |
| M-Audio       | DSM1             | 325.1  | 228.6      | 261.6   | 7.5       |             |                       |                             | •                     |                       |
| M-Audio       | DSM2             | 386.1  | 256.5      | 269.2   | 9.1       |             | •                     |                             |                       |                       |
| M-Audio       | CX5              | 304.8  | 190.5      | 228.6   | 8.6       |             |                       |                             | •                     |                       |
| M-Audio       | CX8              | 431.8  | 279.4      | 330.2   | 10.0      |             | •                     |                             |                       |                       |
| M-Audio       | Studiophile AV30 | 200.7  | 134.6      | 160.0   | 5.3       |             |                       |                             |                       | •                     |
| M-Audio       | Studiophile AV40 | 223.5  | 152.4      | 185.4   | 6.4       |             |                       |                             |                       | •                     |
| M-Audio       | EX66             | 482.6  | 210.8      | 241.3   | 11.2      |             |                       |                             | •                     |                       |
| M-Audio       | Studio Pro3      | 200.7  | 139.7      | 149.9   | 4.0       |             |                       |                             |                       | •                     |
| M-Audio       | M3-6             | 381.0  | 233.7      | 231.1   | 10.5      |             | •                     |                             |                       |                       |
| M-Audio       | M3-8             | 434.0  | 268.0      | 285.0   | 12.8      |             | •                     |                             |                       |                       |
| Mackie        | MR5              | 292.1  | 198.1      | 266.7   | 6.5       |             |                       |                             | •                     |                       |
| Mackie        | MR8              | 406.4  | 276.9      | 345.4   | 12.5      |             | •                     |                             |                       |                       |
| Mackie        | MR5mk2           | 292.1  | 198.1      | 269.2   | 6.5       |             |                       |                             | •                     |                       |
| Mackie        | MR8mk2           | 398.8  | 276.9      | 330.2   | 12.5      |             | •                     |                             |                       |                       |
| Mackie        | MR5mk3           | 287.0  | 198.1      | 276.9   | 5.5       |             |                       |                             | •                     |                       |
| Mackie        | MR6mk3           | 322.6  | 221.0      | 304.8   | 7.2       |             | •                     |                             |                       |                       |
| Mackie        | MR8mk3           | 401.3  | 276.9      | 335.3   | 10.8      |             | •                     |                             |                       |                       |
| Mackie        | HR624mk2         | 332.7  | 218.4      | 261.6   | 10.6      |             |                       |                             | •                     |                       |
| Mackie        | HR824mk2         | 426.7  | 274.3      | 289.6   | 15.7      |             | •                     |                             |                       |                       |
| Neumann       | KH 120 A         | 277.0  | 182.0      | 220.0   | 6.4       |             |                       |                             | •                     |                       |
| Neumann       | KH 120 D         | 277.0  | 182.0      | 220.0   | 6.5       |             |                       |                             | •                     |                       |
| Neumann       | O300D            | 254.0  | 383.5      | 289.6   | 13.6      |             | •                     |                             | 2                     |                       |
| Neumann       | KH 310 A         | 253.0  | 383.0      | 292.0   | 13.0      |             | •                     |                             | 2                     |                       |
| Neumann       | KH 870           | 735.0  | 330.0      | 645.0   | 47.1      |             | 2                     |                             |                       |                       |
| Pioneer DJ    | Bulit6           | 340.4  | 294.6      | 226.1   | 8.5       |             |                       |                             | •                     |                       |
| Pioneer DJ    | Bulit8           | 398.8  | 315.0      | 274.3   | 11.8      |             | •                     |                             |                       |                       |
| Pioneer DJ    | RM-05            | 281.0  | 203.0      | 225.0   | 9.3       |             | •                     |                             |                       |                       |
| Pioneer DJ    | RM-07            | 337.0  | 244.0      | 260.0   | 12.3      |             |                       |                             | •                     |                       |
| PMC           | twotwo•5         | 296.0  | 155.0      | 295.0   | 5.5       |             |                       |                             | •                     |                       |
| PMC           | twotwo•6         | 406.0  | 194.0      | 364.0   | 8.4       |             |                       |                             | •                     |                       |
| PMC           | twotwo•8         | 500.0  | 250.0      | 415.0   | 12.2      |             | •                     |                             |                       |                       |
| PreSonus      | Eris E4.5        | 241.3  | 162.6      | 180.3   | 5.9       |             |                       |                             |                       | •                     |
| PreSonus      | Eris E5          | 259.1  | 177.8      | 193.0   | 4.6       |             |                       |                             | •                     |                       |
| PreSonus      | Eris E8          | 383.5  | 248.9      | 297.2   | 10.1      |             | •                     |                             |                       |                       |
| PreSonus      | Eris E44         | 177.8  | 363.2      | 177.8   | 5.4       |             |                       |                             |                       | 2                     |
| PreSonus      | Eris E66         | 248.9  | 459.7      | 215.9   | 10.6      | •           |                       |                             |                       |                       |
| PreSonus      | Sceptre S6       | 304.8  | 228.6      | 243.8   | 8.2       |             |                       |                             | •                     |                       |
| PreSonus      | Sceptre S8       | 381.0  | 279.4      | 266.7   | 10.6      |             | •                     |                             |                       |                       |
| PreSonus      | Temblor T8 sub   | 279.4  | 259.1      | 320.0   | 9.6       |             | •                     |                             |                       |                       |
| PreSonus      | Temblor T10 sub  | 398.8  | 320.0      | 398.8   | 17.9      |             | •                     |                             |                       |                       |
| PSI Audio     | A14-M Studio     | 243.0  | 163.0      | 170.0   | 5.1       |             |                       |                             |                       | •                     |
| PSI Audio     | A17-M            | 320.0  | 200.0      | 230.0   | 7.5       |             |                       |                             | •                     |                       |
| PSI Audio     | A21-M            | 400.0  | 250.0      | 300.0   | 12.8      |             | •                     |                             |                       |                       |
| PSI Audio     | A25-M            | 590.0  | 320.0      | 380.0   | 27.2      |             | •                     |                             |                       |                       |
| PSI Audio     | A214-M           | 446.0  | 166.0      | 200.0   | 10.2      |             |                       |                             | •                     |                       |

| Производитель | Модель AC   | высота | Размер, мм |         | Вес<br>кг | ISO-L8R430  | ISO-L8R200<br>ISO-200 | ISO-L8R200SUB<br>ISO-200SUB | ISO-L8R155<br>ISO-155 | ISO-L8R130<br>ISO-130 |
|---------------|-------------|--------|------------|---------|-----------|-------------|-----------------------|-----------------------------|-----------------------|-----------------------|
|               |             |        | ширина     | глубина |           | 432 x 229мм | 198 X 254мм           | 198 X 254мм                 | 155 X 190мм           | 130 X 152мм           |
| PSI Audio     | SUB A225-M  | 700.0  | 320.0      | 500.0   | 35.6      |             |                       |                             |                       |                       |
| Samson        | Resolv A5   | 304.8  | 203.2      | 223.5   | 6.9       |             |                       |                             | •                     |                       |
| Samson        | Resolv A6   | 325.1  | 236.2      | 251.5   | 8.2       |             |                       |                             | •                     |                       |
| Samson        | Resolv A8   | 406.4  | 304.8      | 287.0   | 11.3      |             | •                     |                             |                       |                       |
| Samson        | MediaOne 3a | 172.7  | 129.5      | 165.1   | 2.3       |             |                       |                             |                       | •                     |
| Samson        | MediaOne 4a | 231.1  | 167.6      | 193.0   | 4.3       |             |                       |                             | •                     |                       |
| Samson        | MediaOne 5a | 279.4  | 203.2      | 228.6   | 5.7       |             |                       |                             | •                     |                       |
| Samson        | Studio GT   | 231.1  | 167.6      | 193.0   | 4.3       |             |                       |                             | •                     |                       |
| Sonodyne      | SRP400      | 232.0  | 160.0      | 155.0   | 4.4       |             |                       |                             |                       | •                     |
| Sonodyne      | SRP500      | 279.0  | 210.0      | 181.0   | 6.8       |             |                       |                             | •                     |                       |
| Sonodyne      | SRP600      | 340.0  | 250.0      | 240.0   | 11.9      |             | •                     |                             |                       |                       |
| Sonodyne      | SRP800      | 434.0  | 291.0      | 280.0   | 17.0      |             | •                     |                             |                       |                       |
| Sonodyne      | SM50AK      | 261.6  | 180.3      | 221.0   | 6.5       |             |                       |                             | •                     |                       |
| Sonodyne      | SM100AK     | 335.3  | 231.1      | 299.7   | 10.5      |             | •                     |                             |                       |                       |
| Sonodyne      | SM200AK     | 429.3  | 315.0      | 322.6   | 18.0      |             | •                     |                             |                       |                       |
| Sonodyne      | SM300       | 299.7  | 508.0      | 294.6   | 24.9      | •           | 2                     |                             | 2                     |                       |
| Sonodyne      | C2501       | 190.0  | 450.0      | 245.0   | 8.9       | •           |                       |                             |                       |                       |
| Sonodyne      | SLF 210     | 408.9  | 340.4      | 416.6   | 18.1      |             |                       |                             |                       |                       |
| Tannoy        | Reveal 501a | 299.7  | 182.9      | 297.2   | 5.4       |             |                       |                             | •                     |                       |
| Tannoy        | Reveal 601a | 340.4  | 210.8      | 271.8   | 7.9       |             |                       |                             | •                     |                       |
| Tannoy        | Reveal 601a | 299.7  | 182.9      | 236.2   | 5.9       |             |                       |                             | •                     |                       |
| Tannoy        | Reveal 402  | 241.0  | 147.0      | 212.0   | 5.1       |             |                       |                             |                       | •                     |
| Tannoy        | Reveal 502  | 300    | 184        | 238     | 7.2       |             |                       |                             | •                     |                       |
| Tannoy        | Reveal 802  | 390.0  | 254.0      | 300.0   | 12.8      |             | •                     |                             |                       |                       |
| Yamaha        | NS-10M      | 215.9  | 381.0      | 198.1   | 6.4       |             |                       |                             | •                     |                       |
| Yamaha        | HS50M       | 269.2  | 165.1      | 221.0   | 5.8       |             |                       |                             | •                     |                       |
| Yamaha        | HS80M       | 391.2  | 248.9      | 332.7   | 11.3      |             | •                     |                             |                       |                       |
| Yamaha        | HS5         | 285.0  | 170.0      | 222.0   | 11.7      |             |                       |                             | •                     |                       |
| Yamaha        | HS7         | 332.0  | 210.0      | 284.0   | 8.2       |             |                       |                             | •                     |                       |
| Yamaha        | HS8         | 390.0  | 250.0      | 334.0   | 10.2      |             | •                     |                             |                       |                       |
| Yamaha        | MSP3        | 236.2  | 144.8      | 167.6   | 4.4       |             |                       |                             |                       | •                     |
| Yamaha        | MSP5        | 279.4  | 180.3      | 208.3   | 7.9       |             |                       |                             | •                     |                       |
| Yamaha        | MSP7        | 330.2  | 218.4      | 236.2   | 12.5      |             |                       |                             | •                     |                       |
| Yamaha        | SW10        | 459.0  | 328.0      | 476.0   | 28.6      |             |                       |                             |                       |                       |
| Yorkville     | YSM2P-II    | 292.1  | 193.0      | 266.7   | 5.4       |             |                       |                             | •                     |                       |
| Yorkville     | YSM5        | 292.1  | 190.5      | 241.3   | 6.8       |             |                       |                             | •                     |                       |
| Yorkville     | YSM6        | 381.0  | 241.3      | 254.0   | 9.5       |             |                       |                             | •                     |                       |
| Yorkville     | YSM8        | 420.0  | 250.0      | 270.0   | 12.7      |             | •                     |                             |                       |                       |
| Yorkville     | YSM1P-II    | 416.6  | 243.8      | 284.5   | 11.3      |             | •                     |                             |                       |                       |